

# Notice of Allowability

Application No.

10/644,154

Examiner

Djura Malevic

Applicant(s)

MAEZAWA ET AL.

Art Unit

2884

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 01/13/2006.
2. ☒ The allowed claim(s) is/are 1-5,11-15,21 and 22.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All b) ☐ Some\* c) ☐ None of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

## DETAILED ACTION

### Response to Amendment

The amendment filed 01/13/2006 was entered.

### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with **Donald C. Lucas** on January 26, 2006.

The application has been amended as follows:

With regards to claim 1, replace "*a lower layer of the plural layers being a layer of carbon fiber.*" with "*the support is comprised of a polyimide layer, a carbon fiber plate layer and a polyimide layer in that order.*"

With regards to claim 11, replace "*a lower layer of the plural layers being a layer of carbon fiber.*" with "*the support is comprised of a polyimide layer, a carbon fiber plate layer and a polyimide layer in that order.*"

Claims 7, 8, 10, 17, 18 and 20 are all cancelled.

### Allowable Subject Matter

Claims 1-5, 11-15, 21 and 22 are allowed.

Applicant's arguments, see *Remarks*, filed 01/13/2006, with respect to pages 12 -14 have been fully considered and are persuasive. The rejection of claims 1 and 11 has been withdrawn.

The following is an examiner's statement of reasons for allowance:

With regards to claim 1 and 11, the prior art of record fails to disclose or suggest a radiation image conversion panel comprising a support with a polyimide layer, a carbon fiber plate layer and a polyimide layer in that specific order in combination with the rest of the claim limitations. As such, applicant's discloser provides a novel and nonobvious improvement over the prior art. Accordingly, claims 2-4, 12-15, 21 and 22 are allowable by virtue of their dependencies.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### **Conclusion**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Djura Malevic whose telephone number is 571.272.5975. The examiner can normally be reached on Monday - Friday between 8:30am and 4:00pm.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Porta can be reached on (571) 272-2444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/644,154  
Art Unit: 2884

Page 4

**Djura Malevic**  
**Patent Examiner**  
**Art Unit 2884**  
**571.272.5975**



**DAVID PORTA**  
**SUPERVISOR PATENT EXAMINER**  
**TECHNOLOGY CENTER 2800**